1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name:

826-LINE CABOTS DECKING AND FURNITURE STAIN

Recommended Use:

Timber stain. Applied by brush.

Supplier:

Orica Woodcare New Zealand

Street Address:

150 Hutt Park Road Lower Hutt, New Zealand

Telephone Number:

+64 4 576 6400

Facsimile:

+ 64 4 576 6496

Emergency Telephone: 0 800 734 607 (ALL HOURS)

2. HAZARDS IDENTIFICATION

Classified as a Dangerous Good according to NZS 5433:1999 Transport of Dangerous Goods on Land.

Classified as hazardous according to criteria in the HS (Minimum Degrees of Hazard) Regulations 2001.

Subclasses:

Subclass 3.1 Category C (medium hazard) - Flammable Liquids.

Subclass 6.1 Category D - Substances which are acutely toxic.

Subclass 6.3 Category B - Substances that are mildly irritating to the skin. Subclass 6.5 Category B - Substances that are contact sensitisers.

Subclass 6.7 Category B - Substances that are suspected human carcinogens. Subclass 9.1 Category B - Substances that are ecotoxic in the aquatic environment.

Surface Coatings and Colourants (Flammable, Toxic [6.7]) Group Standard 2006

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components / CAS Number Proportion **Risk Phrases** Kerosine 10-<30%

R38 R65

8008-20-6

Solvent naphtha

(petroleum)heavy arom.

10-<30%

R65

64742-94-5

White spirit (Stoddard solvent) 10-<30%

8052-41-3

Synthetic polymer(s)

10-<30%

R65

Pigments

1-<10%

TCMTB [(Benzothiazol-2ylthio)methyl thiocyanate] 0.1-<1%

R22 R26 R36/38 R43 R50/53

21564-17-0

Product Name:

826-LINE CABOTS DECKING AND FURNITURE STAIN

Substance No:

000000010871

Issued: 09/07/2007

Version:

Page 1 of 7



Ingredients determined not to to 100% be hazardous

4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (Phone eg. Australia 131 126; New Zealand 0 800 764766) or a doctor.

Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm.

Keep at rest until fully recovered. If patient finds breathing difficult and develops a bluish

discolouration of the skin (which suggests a lack of oxygen in the blood - cyanosis), ensure airways are clear of any obstruction and have a qualified person give oxygen through a face mask. Apply

artificial respiration if patient is not breathing. Seek immediate medical advice.

Skin Contact:

If skin or hair contact occurs, immediately remove any contaminated clothing and wash skin and hair thoroughly with running water. If swelling, redness, blistering or irritation occurs seek medical

assistance.

Eye Contact:

If in eyes, wash out immediately with water. In all cases of eye contamination it is a sensible

precaution to seek medical advice.

Ingestion:

If swallowed, do NOT induce vomiting. Give a glass of water. Get to a doctor or hospital quickly.

Medical attention and special

Treat symptomatically.

treatment:

5. FIRE FIGHTING MEASURES

Hazards from combustion

products:

Flammable liquid. On burning will emit toxic fumes, including those of oxides of carbon

special protective equipment:

Precautions for fire fighters and Keep containers cool with water spray. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of

combustion.

Suitable Extinguishing Media:

Normal foam, dry agent (carbon dioxide, dry chemical powder).

Hazchem Code:

3Y

6. ACCIDENTAL RELEASE MEASURES

Product Name:

826-LINE CABOTS DECKING AND FURNITURE STAIN

Substance No:

000000010871

Issued:

09/07/2007

Version:

Page 2 of 7



Emergency procedures: If contamination of sewers or waterways has occurred advise local emergency services.

Methods and materials for containment and clean up:

SMALL SPILLS: Slippery when wet. Avoid accidents, clean up immediately. Wipe up with

rag or absorbent paper.

LARGE SPILLS: Shut off all possible sources of ignition. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact. Avoid breathing in vapours. Work up wind or increase ventilation. Contain prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling: Keep out of reach of children. Avoid skin and eye contact and breathing in vapour. May

form flammable vapour mixtures with air. All potential sources of ignition (open flames, pilot lights, furnaces, spark producing switches and electrical equipment etc) must be eliminated both in and near the work area. Do NOT smoke. Vapour may travel a

considerable distance to source of ignition and flash back.

Conditions for safe storage: Store in a well ventilated area away from foodstuffs, oxidising agents and sources of

heat or ignition. Keep containers closed when not in use - check regularly for leaks.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

No value assigned for this specific material by the New Zealand Occupational Safety and Health Service (OSH). However, Workplace Exposure Standard(s) for constituent(s):

White spirits (Stoddard solvent): WES-TWA 100 ppm, 525 mg/m3

No value assigned for this specific material by the New Zealand Occupational Safety and Health Service (OSH).

No Exposure Standards assigned to other constituents.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Engineering controls:

Ensure ventilation is adequate and that air concentrations of components are controlled below quoted Exposure

Product Name:

826-LINE CABOTS DECKING AND FURNITURE STAIN

Substance No: 000000010871

Issued:

09/07/2007

Version:

4

Page 3 of 7



Standards, Vapour heavier than air - prevent concentration in hollows or sumps. DO NOT enter confined spaces where vapour may have collected. Keep containers closed when not in use.

Personal Protective Equipment:

The selection of PPE is dependant on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

Orica Personal Protection Guide No. 1, 1998: B - OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

Wear overalls, safety glasses and impervious gloves. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. If risk of inhalation exists, wear organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Liquid

Colour:

Coloured Solvent

Odour:

Insoluble in water. Soluble in organic solvents.

Solubility: Specific Gravity:

0.9 @20°C

Relative Vapour Density (air=1): >1

N Av

Vapour Pressure (20 °C):

48

Flash Point (°C): Flammability Limits (%):

N Av

Autoignition Temperature (°C):

N Av

% Volatile by Volume:

N Av

% Volatile by Weight:

N Av

Solubility in water (g/L): Melting Point/Range (°C): Insoluble N App

Boiling Point/Range (°C):

N Av

Decomposition Point (°C):

N Av

pH:

N App

Viscosity:

N Av

Evaporation Rate:

N Av

10. STABILITY AND REACTIVITY

Chemical stability:

Stable under normal conditions of use.

Conditions to avoid:

Avoid contact with foodstuffs. Avoid exposure to heat, sources of ignition, and open

Product Name:

826-LINE CABOTS DECKING AND FURNITURE STAIN

Substance No:

000000010871

Issued:

09/07/2007

Version:

Page 4 of 7



flame.

Incompatible materials:

Incompatible with oxidising agents.

Hazardous decomposition

products:

Oxides of carbon.

Hazardous reactions:

None known.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion:

Swallowing can result in nausea, vomiting and central nervous system depression. If the victim is showing signs of central system depression (like those of drunkeness) there is greater likelihood of the patient breathing in vomit and causing damage to the lungs.

Eye contact:

May be an eye irritant.

Skin contact:

Contact with skin will result in irritation. Will have a degreasing action on the skin. Repeated or prolonged skin contact may lead to irritant contact dermatitis.

Inhalation:

Material may be irritant to the mucous membranes of the respiratory tract (airways). Breathing in vapour can result in headaches, dizziness, drowsiness, and possible nausea. Breathing in high concentrations can produce central nervous system depression, which can lead to loss of co-ordination, impaired judgement and if exposure is prolonged, unconsciousness.

Long Term Effects:

No information available for the product.

Toxicological Data:

No LD50 data available for the product.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Avoid contaminating waterways.

13. DISPOSAL CONSIDERATIONS

Disposal methods:

For large quantities: Refer to Waste Management Authority. Advise flammable nature. Dispose of material through a licensed waste contractor. Normally suitable for incineration

by an approved agent.

Product Name:

826-LINE CABOTS DECKING AND FURNITURE STAIN

Substance No:

000000010871

Issued:

09/07/2007

Version:

Page 5 of 7



For small quantities: Do not pour leftover paint down the drain. Unwanted paint should be brushed out on newspaper, allowed to dry and then disposed of via domestic waste collection. Empty paint containers should be left open in a well ventilated area to dry out. When dry recycle the container via steel can recycling programs. Disposal of empty paint containers via domestic recycling programs may differ between local authorities. Check with your local council first.

14. TRANSPORT INFORMATION

Road and Rail Transport

Classified as a Dangerous Good according to NZS 5433:1999 Transport of Dangerous Goods on Land.

UN No:

1263

Class-primary

3 Flammable Liquid

Packing Group: Proper Shipping Name:

111 PAINT

Hazchem Code:

Marine Transport

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN No:

1263

Class-primary:

3 Flammable Liquid

Packing Group:

111

Proper Shipping Name: PAINT

Air Transport

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN No:

1263

Packing Group:

111

Proper Shipping Name: PAINT

15. REGULATORY INFORMATION

Classification:

Classified as hazardous according to criteria in the HS (Minimum Degrees of Hazard) Regulations

Subclasses:

Subclass 3.1 Category C (medium hazard) - Flammable Liquids.

Subclass 6.1 Category D - Substances which are acutely toxic.

Subclass 6.3 Category B - Substances that are mildly irritating to the skin.

Subclass 6.5 Category B - Substances that are contact sensitisers.

Product Name:

826-LINE CABOTS DECKING AND FURNITURE STAIN

Substance No:

000000010871

09/07/2007

Version:

Page 6 of 7



Subclass 6.7 Category B - Substances that are suspected human carcinogens. Subclass 9.1 Category B - Substances that are ecotoxic in the aquatic environment.

Surface Coatings and Colourants (Flammable, Toxic [6.7]) Group Standard 2006

16. OTHER INFORMATION

This material safety data sheet has been prepared by SH&E Shared Services, Orica.

Reason(s) for Issue:

Change to Poisons Requirements Change in Hazardous Substance Classification Alignment to HSNO requirements Change in labelling requirements

This MSDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Orica Limited cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Orica representative or Orica Limited at the contact details on page 1.

Orica Limited's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Product Name:

826-LINE CABOTS DECKING AND FURNITURE STAIN

Substance No: 000000010871

Issued:

09/07/2007

Version:

4