

BRITE SHINE STAINLESS STEEL CLEANER #239

Quick Identifier (In Plant Common Name)

Material Safety Data Sheet

Manufacturer's Name & Address
APOLLO INDUSTRIES, INC.
1850 S. Cobb Industrial Blvd.
Smyrna, GA 30082

Emergency Telephone No.
(770) 433-0210 Mon. - Fri. 8-5
(800) 255-3924 24 HOURS


Date Prepared: November 15, 2000

HMIS Symbol:

Health	1
Flammability	3
Reactivity	0

HMIS— NFPA
Minimal - 0 - Insignificant
Slight - 1 - Slight
Moderate - 2 - Moderate
Serious - 3 - High
Severe - 4 - Extreme

NFPA Symbol:



Prepared By:

Checked By:

SECTION 1 - IDENTITY

Common Name: (used on label) **Brite Shine Stainless Steel Cleaner #239**
(Trade name & Synonyms)

Chemical Name
Mixture packaged in pressurized aerosol spray can.

SECTION 2 - HAZARDOUS INGREDIENTS

Principal Hazardous Component(s)	CAS No.	OSHA PEL	ACGIH TLV	Other Limits
Propane	74-98-6	1,000 ppm	Not Est.	
Butane	106-97-8	800 ppm	800 ppm	
Petroleum Distillate	64742-47-8	500 ppm (2000 mg/m ³ , 8 HR. TWA)	Not Est.	100 ppm (mfr.)
Petroleum Distillate	64741-44-2	5mg/m ³	5mg/m ³	

*Section 313 Supplier Notification - Indicates hazardous ingredients which are toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point	Not Established	Specific Gravity (H ₂ O=1)	1.02	Vapor Pressure (PSI)	40
Volatile Organic Content (% Weight)	<30%	Evaporation Rate (BuAc=1)	Slower	pH	N/A
Solubility In Water	Soluble	Appearance and Odor	White, creamy liquid with lemon odor.		

SECTION 4 - FIRE & EXPLOSION DATA

Flammability (per flame projection)	Non-Flammable	Flammable Limits in Air % by Volume	Lower Not Est.	Upper Not Est.	Extinguisher Media	Alcohol Foam, CO ₂ , Dry Chemical (B-C), Water
-------------------------------------	---------------	-------------------------------------	----------------	----------------	--------------------	---

Special Fire Fighting Procedures
Keep containers cool using water spray. Use proper equipment to protect personnel from bursting containers.

Unusual Fire and Explosion Hazards
Contents under pressure. Do not expose to temperatures exceeding 120°F. as containers may vent, rupture or burst.

SECTION 5 - PHYSICAL HAZARDS

Stability	Unstable <input type="checkbox"/> Stable <input checked="" type="checkbox"/>	Conditions to Avoid	Open Flames; Temp. > 120°F.	Hazardous Polymerization	May Occur Will not Occur	Conditions to Avoid	None
-----------	--	---------------------	-----------------------------	--------------------------	--------------------------	---------------------	------

Incompatibility (Materials to Avoid)
Strong oxidizers.

Hazardous Decomposition Products
CO, CO₂

SECTION 6 - HEALTH HAZARDS

Routes of Entry Inhalation: Yes Skin/Eyes: Yes Ingestion: Unlikely

Signs and Symptoms of Exposure (Acute & Chronic) May cause skin and eye irritation.

Medical Conditions Generally Aggravated by Exposure Not Known

Chemical Listed as Carcinogen or Potential Carcinogen	National Toxicology Program	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	I.A.R.C. Monographs	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	OSHA	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	-----------------------------	--	---------------------	--	------	--

Emergency and First Aid Procedures

1. Inhalation Remove victim to fresh air. Apply artificial respiration if not breathing. Get medical attention.
2. Eyes Flush eyes with water for at least 15 minutes. Get medical attention if irritation persists.
3. Skin Wash affected areas w/ soap & water. Get medical attention if irritation persists.
4. Ingestion Do not induce vomiting. Get medical attention.

SECTION 7 - SPECIAL PROTECTION INFORMATION

Respiratory Protection (Specify Type) None required for normal use.

Ventilation	Local Exhaust	Maintain adequate ventilation	Mechanical (General)	N/A	Special	N/A	Other	N/A
Protective Gloves	Wear gloves if skin contact causes irritation.		Eye Protection	Use when necessary to prevent eye contact.				

Other Protective Clothing or Equipment None required.

SECTION 8 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

Precautions to be Taken Handling and Storage Do not store at temperatures above 120°F. Do not puncture or incinerate containers. Keep out of reach of children.

Other Precautions Read label precautions carefully.

Steps to be Taken in Case Material is Released or Spilled Soak up spilled liquid with absorbent material. Place in closed container.

Dispose of in accordance with local, state, and federal regulations.

Waste Disposal Methods Dispose of in accordance with local, state, and federal regulations.

We believe all information given is accurate. It is offered in good faith, but without guarantee. Since conditions are beyond our control, user assumes all responsibility and risk.

BRITE SHINE STAINLESS STEEL CLEANER #239

Quick Identifier (In Plant Common Name)

Material Safety Data Sheet

Manufacturer's Name & Address
APOLLO INDUSTRIES, INC.
 1850 S. Cobb Industrial Blvd.
 Smyrna, GA 30082

Emergency Telephone No.
 (770) 433-0210 Mon. - Fri. 8-5
 (800) 255-3924 24 HOURS

Date Prepared: November 15, 2000


Prepared By:

Checked By:

HMIS Symbol:

Health	1
Flammability	3
Reactivity	0

HMIS — NFPA
 Minimal - 0 - Insignificant
 Slight - 1 - Slight
 Moderate - 2 - Moderate
 Serious - 3 - High
 Severe - 4 - Extreme

NFPA Symbol:

SECTION 1 - IDENTITY

Common Name: (used on label) Brite Shine Stainless Steel Cleaner #239
(Trade name & Synonyms)

Chemical Name Mixture packaged in pressurized aerosol spray can.

SECTION 2 - HAZARDOUS INGREDIENTS

Principal Hazardous Component(s)	CAS No.	OSHA PEL	ACGIH TLV	Other Limits
Propane	74-98-6	1,000 ppm	Not Est.	
Butane	106-97-8	800 ppm	800 ppm	
Petroleum Distillate	64742-47-8	500 ppm (2000 mg/m ³ , 8 HR. TWA)	Not Est.	100 ppm (mfr.)
Petroleum Distillate	64741-44-2	5mg/m ³	5mg/m ³	

*Section 313 Supplier Notification - Indicates hazardous ingredients which are toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point	Not Established	Specific Gravity (H₂O=1)	1.02	Vapor Pressure (PSI)	40
Volatile Organic Content (% Weight)	<30%	Evaporation Rate (BuAc=1)	Slower	pH	N/A
Solubility In Water	Soluble	Appearance and Odor	White, creamy liquid with lemon odor.		

SECTION 4 - FIRE & EXPLOSION DATA

Flammability (per flame projection)	Non-Flammable	Flammable Limits in Air % by Volume	Lower Not Est.	Upper Not Est.	Extinguisher Media	Alcohol Foam, CO ₂ , Dry Chemical (B-C), Water
--	---------------	--	----------------	----------------	---------------------------	---

Special Fire Fighting Procedures Keep containers cool using water spray. Use proper equipment to protect personnel from bursting containers.

Unusual Fire and Explosion Hazards Contents under pressure. Do not expose to temperatures exceeding 120°F. as containers may vent, rupture or burst.

SECTION 5 - PHYSICAL HAZARDS

Stability Unstable ☐ Conditions Open Flames; Hazardous May Occur ☐ Conditions
 Stable ☒ to Avoid Temp. > 120°F. Polymerization Will not Occur ☒ to Avoid None

Incompatibility (Materials to Avoid) Strong oxidizers.

Hazardous Decomposition Products CO, CO₂

SECTION 6 - HEALTH HAZARDS

Routes of Entry Inhalation: Yes Skin/Eyes: Yes Ingestion: Unlikely

Signs and Symptoms of Exposure (Acute & Chronic) May cause skin and eye irritation.

Medical Conditions Generally Aggravated by Exposure Not Known

Chemical Listed as Carcinogen or Potential Carcinogen National Toxicology Program Yes ☐ No ☒ I.A.R.C. Monographs Yes ☐ No ☒ OSHA Yes ☐ No ☒

Emergency and First Aid Procedures

1. Inhalation Remove victim to fresh air. Apply artificial respiration if not breathing. Get medical attention.
2. Eyes Flush eyes with water for at least 15 minutes. Get medical attention if irritation persists.
3. Skin Wash affected areas w/ soap & water. Get medical attention if irritation persists.
4. Ingestion Do not induce vomiting. Get medical attention.

SECTION 7 - SPECIAL PROTECTION INFORMATION

Respiratory Protection (Specify Type) None required for normal use.

Ventilation	Local Exhaust	Maintain adequate ventilation	Mechanical (General)	N/A	Special	N/A	Other	N/A
Protective Gloves	Wear gloves if skin contact causes irritation.		Eye Protection		Use when necessary to prevent eye contact.			

Other Protective Clothing or Equipment None required.

SECTION 8 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

Precautions to be Taken Handling and Storage Do not store at temperatures above 120°F. Do not puncture or incinerate containers. Keep out of reach of children.

Other Precautions Read label precautions carefully.

Steps to be Taken in Case Material is Released or Spilled Soak up spilled liquid with absorbent material. Place in closed container.

Dispose of in accordance with local, state, and federal regulations.

Waste Disposal Methods Dispose of in accordance with local, state, and federal regulations.

We believe all information given is accurate. It is offered in good faith, but without guarantee. Since conditions are beyond our control, user assumes all responsibility and risk.

Material Safety Data Sheet

BRITE SHINE STAINLESS STEEL CLEANER #239

Quick Identifier (In Plant Common Name)

Manufacturer's Name & Address
APOLLO INDUSTRIES, INC.
1850 S. Cobb Industrial Blvd.
Smyrna, GA 30082

Emergency Telephone No.
(770) 433-0210 Mon. - Fri. 8-5
(800) 255-3924 24 HOURS


Date Prepared: November 15, 2000

HMIS Symbol:

Health	1
Flammability	3
Reactivity	0

HMIS— NFPA
Minimal - 0 - Insignificant
Slight - 1 - Slight
Moderate - 2 - Moderate
Serious - 3 - High
Severe - 4 - Extreme

NFPA Symbol:



Prepared By:

Checked By:

SECTION 1 - IDENTITY

Common Name: (used on label) **Brite Shine Stainless Steel Cleaner #239**
(Trade name & Synonyms)

Chemical Name
Mixture packaged in pressurized aerosol spray can.

SECTION 2 - HAZARDOUS INGREDIENTS

Principal Hazardous Component(s)	CAS No.	OSHA PEL	ACGIH TLV	Other Limits
Propane	74-98-6	1,000 ppm	Not Est.	
Butane	106-97-8	800 ppm	800 ppm	
Petroleum Distillate	64742-47-8	500 ppm (2000 mg/m ³ , 8 HR. TWA)	Not Est.	100 ppm (mfr.)
Petroleum Distillate	64741-44-2	5mg/m ³	5mg/m ³	

*Section 313 Supplier Notification - Indicates hazardous ingredients which are toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point	Not Established	Specific Gravity (H ₂ O=1)	1.02	Vapor Pressure (PSI)	40
Volatile Organic Content (% Weight)	<30%	Evaporation Rate (BuAc=1)	Slower	pH	N/A
Solubility In Water	Soluble	Appearance and Odor	White, creamy liquid with lemon odor.		

SECTION 4 - FIRE & EXPLOSION DATA

Flammability (per flame projection)	Non-Flammable	Flammable Limits in Air % by Volume	Lower Not Est.	Upper Not Est.	Extinguisher Media	Alcohol Foam, CO ₂ , Dry Chemical (B-C), Water
-------------------------------------	---------------	-------------------------------------	----------------	----------------	--------------------	---

Special Fire Fighting Procedures
Keep containers cool using water spray. Use proper equipment to protect personnel from bursting containers.

Unusual Fire and Explosion Hazards
Contents under pressure. Do not expose to temperatures exceeding 120°F. as containers may vent, rupture or burst.

SECTION 5 - PHYSICAL HAZARDS

Stability	Unstable <input type="checkbox"/> Stable <input checked="" type="checkbox"/>	Conditions to Avoid	Open Flames; Temp. > 120°F.	Hazardous Polymerization	May Occur <input type="checkbox"/> Will not Occur <input checked="" type="checkbox"/>	Conditions to Avoid	None
-----------	--	---------------------	-----------------------------	--------------------------	---	---------------------	------

Incompatibility (Materials to Avoid)
Strong oxidizers.

Hazardous Decomposition Products
CO, CO₂

SECTION 6 - HEALTH HAZARDS

Routes of Entry Inhalation: Yes Skin/Eyes: Yes Ingestion: Unlikely

Signs and Symptoms of Exposure (Acute & Chronic) May cause skin and eye irritation.

Medical Conditions Generally Aggravated by Exposure Not Known

Chemical Listed as Carcinogen or Potential Carcinogen	National Toxicology Program	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	I.A.R.C. Monographs	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	OSHA	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	-----------------------------	--	---------------------	--	------	--

Emergency and First Aid Procedures

1. Inhalation Remove victim to fresh air. Apply artificial respiration if not breathing. Get medical attention.
2. Eyes Flush eyes with water for at least 15 minutes. Get medical attention if irritation persists.
3. Skin Wash affected areas w/ soap & water. Get medical attention if irritation persists.
4. Ingestion Do not induce vomiting. Get medical attention.

SECTION 7 - SPECIAL PROTECTION INFORMATION

Respiratory Protection (Specify Type) None required for normal use.

Ventilation	Local Exhaust	Maintain adequate ventilation	Mechanical (General)	N/A	Special	N/A	Other	N/A
Protective Gloves	Wear gloves if skin contact causes irritation.		Eye Protection	Use when necessary to prevent eye contact.				

Other Protective Clothing or Equipment None required.

SECTION 8 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

Precautions to be Taken Handling and Storage Do not store at temperatures above 120°F. Do not puncture or incinerate containers. Keep out of reach of children.

Other Precautions Read label precautions carefully.

Steps to be Taken in Case Material is Released or Spilled Soak up spilled liquid with absorbent material. Place in closed container.

Dispose of in accordance with local, state, and federal regulations.

Waste Disposal Methods Dispose of in accordance with local, state, and federal regulations.

We believe all information given is accurate. It is offered in good faith, but without guarantee. Since conditions are beyond our control, user assumes all responsibility and risk.

BRITE SHINE STAINLESS STEEL CLEANER #239

Quick Identifier (In Plant Common Name)

Material Safety Data Sheet

Manufacturer's Name & Address
APOLLO INDUSTRIES, INC.
 1850 S. Cobb Industrial Blvd.
 Smyrna, GA 30082

Emergency Telephone No. (770) 433-0210 Mon. - Fri. 8-5
 (800) 255-3924 24 HOURS

Date Prepared: November 15, 2000


Prepared By:

Checked By:

HMIS Symbol:

Health	1
Flammability	3
Reactivity	0

HMIS — NFPA
 Minimal - 0 - Insignificant
 Slight - 1 - Slight
 Moderate - 2 - Moderate
 Serious - 3 - High
 Severe - 4 - Extreme

NFPA Symbol:

SECTION 1 - IDENTITY

Common Name: (used on label) Brite Shine Stainless Steel Cleaner #239
(Trade name & Synonyms)

Chemical Name Mixture packaged in pressurized aerosol spray can.

SECTION 2 - HAZARDOUS INGREDIENTS

Principal Hazardous Component(s)	CAS No.	OSHA PEL	ACGIH TLV	Other Limits
Propane	74-98-6	1,000 ppm	Not Est.	
Butane	106-97-8	800 ppm	800 ppm	
Petroleum Distillate	64742-47-8	500 ppm (2000 mg/m ³ , 8 HR. TWA)	Not Est.	100 ppm (mfr.)
Petroleum Distillate	64741-44-2	5mg/m ³	5mg/m ³	

*Section 313 Supplier Notification - Indicates hazardous ingredients which are toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point	Not Established	Specific Gravity (H₂O=1)	1.02	Vapor Pressure (PSI)	40
Volatile Organic Content (% Weight)	<30%	Evaporation Rate (BuAc=1)	Slower	pH	N/A
Solubility In Water	Soluble	Appearance and Odor	White, creamy liquid with lemon odor.		

SECTION 4 - FIRE & EXPLOSION DATA

Flammability (per flame projection)	Non-Flammable	Flammable Limits in Air % by Volume	Lower Not Est.	Upper Not Est.	Extinguisher Media	Alcohol Foam, CO ₂ , Dry Chemical (B-C), Water
--	---------------	--	----------------	----------------	---------------------------	---

Special Fire Fighting Procedures Keep containers cool using water spray. Use proper equipment to protect personnel from bursting containers.

Unusual Fire and Explosion Hazards Contents under pressure. Do not expose to temperatures exceeding 120°F. as containers may vent, rupture or burst.

SECTION 5 - PHYSICAL HAZARDS

Stability Unstable ☐ Stable ☒ **Conditions to Avoid** Open Flames; Temp. > 120°F. **Hazardous Polymerization** May Occur ☐ Will not Occur ☒ **Conditions to Avoid** None

Incompatibility (Materials to Avoid) Strong oxidizers.

Hazardous Decomposition Products CO, CO₂

SECTION 6 - HEALTH HAZARDS

Routes of Entry Inhalation: Yes Skin/Eyes: Yes Ingestion: Unlikely

Signs and Symptoms of Exposure (Acute & Chronic) May cause skin and eye irritation.

Medical Conditions Generally Aggravated by Exposure Not Known

Chemical Listed as Carcinogen or Potential Carcinogen	National Toxicology Program	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	I.A.R.C. Monographs	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	OSHA	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
---	-----------------------------	--	---------------------	--	------	--

Emergency and First Aid Procedures

1. Inhalation Remove victim to fresh air. Apply artificial respiration if not breathing. Get medical attention.
2. Eyes Flush eyes with water for at least 15 minutes. Get medical attention if irritation persists.
3. Skin Wash affected areas w/ soap & water. Get medical attention if irritation persists.
4. Ingestion Do not induce vomiting. Get medical attention.

SECTION 7 - SPECIAL PROTECTION INFORMATION

Respiratory Protection (Specify Type) None required for normal use.

Ventilation	Local Exhaust	Maintain adequate ventilation	Mechanical (General)	N/A	Special	N/A	Other	N/A
Protective Gloves	Wear gloves if skin contact causes irritation.		Eye Protection	Use when necessary to prevent eye contact.				

Other Protective Clothing or Equipment None required.

SECTION 8 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

Precautions to be Taken Handling and Storage Do not store at temperatures above 120°F. Do not puncture or incinerate containers. Keep out of reach of children.

Other Precautions Read label precautions carefully.

Steps to be Taken in Case Material is Released or Spilled Soak up spilled liquid with absorbent material. Place in closed container.

Dispose of in accordance with local, state, and federal regulations.

Waste Disposal Methods Dispose of in accordance with local, state, and federal regulations.

We believe all information given is accurate. It is offered in good faith, but without guarantee. Since conditions are beyond our control, user assumes all responsibility and risk.

BRITE SHINE STAINLESS STEEL CLEANER #239

Quick Identifier (In Plant Common Name)

Material Safety Data Sheet

Manufacturer's Name & Address
APOLLO INDUSTRIES, INC.
 1850 S. Cobb Industrial Blvd.
 Smyrna, GA 30082


Emergency Telephone No.
 (770) 433-0210 Mon. - Fri. 8-5
 (800) 255-3924 24 HOURS

Date Prepared: November 15, 2000

HMIS Symbol:

Health	1
Flammability	3
Reactivity	0

HMIS---- NFPA
 Minimal - 0 - Insignificant
 Slight - 1 - Slight
 Moderate - 2 - Moderate
 Serious - 3 - High
 Severe - 4 - Extreme

NFPA Symbol:

Prepared By:

Checked By:

SECTION 1 - IDENTITY

Common Name: (used on label) **Brite Shine Stainless Steel Cleaner #239**
 (Trade name & Synonyms)

Chemical Name
 Mixture packaged in pressurized aerosol spray can.

SECTION 2 - HAZARDOUS INGREDIENTS

Principal Hazardous Component(s)	CAS No.	OSHA PEL	ACGIH TLV	Other Limits
Propane	74-98-6	1,000 ppm	Not Est.	
Butane	106-97-8	800 ppm	800 ppm	
Petroleum Distillate	64742-47-8	500 ppm (2000 mg/m ³ , 8 HR. TWA)	Not Est.	100 ppm (mfr.)
Petroleum Distillate	64741-44-2	5mg/m ³	5mg/m ³	

*Section 313 Supplier Notification - Indicates hazardous ingredients which are toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point	Not Established	Specific Gravity (H ₂ O=1)	1.02	Vapor Pressure (PSI)	40
Volatile Organic Content (% Weight)	<30%	Evaporation Rate (BuAc=1)	Slower	pH	N/A
Solubility In Water	Soluble	Appearance and Odor	White, creamy liquid with lemon odor.		

SECTION 4 - FIRE & EXPLOSION DATA

Flammability (per flame projection)	Non-Flammable	Flammable Limits in Air % by Volume	Lower Not Est.	Upper Not Est.	Extinguisher Media	Alcohol Foam, CO ₂ , Dry Chemical (B-C), Water
-------------------------------------	---------------	-------------------------------------	----------------	----------------	--------------------	---

Special Fire Fighting Procedures
 Keep containers cool using water spray. Use proper equipment to protect personnel from bursting containers.

Unusual Fire and Explosion Hazards
 Contents under pressure. Do not expose to temperatures exceeding 120°F. as containers may vent, rupture or burst.

SECTION 5 - PHYSICAL HAZARDS

Stability	Unstable <input type="checkbox"/> Stable <input checked="" type="checkbox"/>	Conditions to Avoid	Open Flames; Temp. > 120°F.	Hazardous Polymerization	May Occur <input type="checkbox"/> Will not Occur <input checked="" type="checkbox"/>	Conditions to Avoid	None
-----------	--	---------------------	-----------------------------	--------------------------	---	---------------------	------

Incompatibility (Materials to Avoid)
 Strong oxidizers.

Hazardous Decomposition Products
 CO, CO₂

SECTION 6 - HEALTH HAZARDS

Routes of Entry Inhalation: Yes Skin/Eyes: Yes Ingestion: Unlikely

Signs and Symptoms of Exposure (Acute & Chronic) May cause skin and eye irritation.

Medical Conditions Generally Aggravated by Exposure Not Known

Chemical Listed as Carcinogen or Potential Carcinogen National Toxicology Program Yes ☐ No ☒ I.A.R.C. Monographs Yes ☐ No ☒ OSHA Yes ☐ No ☒

Emergency and First Aid Procedures

1. Inhalation Remove victim to fresh air. Apply artificial respiration if not breathing. Get medical attention.

2. Eyes Flush eyes with water for at least 15 minutes. Get medical attention if irritation persists.

3. Skin Wash affected areas w/ soap & water. Get medical attention if irritation persists.

4. Ingestion Do not induce vomiting. Get medical attention.

SECTION 7 - SPECIAL PROTECTION INFORMATION

Respiratory Protection (Specify Type) None required for normal use.

Ventilation	Local Exhaust	Maintain adequate ventilation	Mechanical (General)	N/A	Special	N/A	Other	N/A
Protective Gloves	Wear gloves if skin contact causes irritation.		Eye Protection	Use when necessary to prevent eye contact.				

Other Protective Clothing or Equipment None required.

SECTION 8 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

Precautions to be Taken Handling and Storage Do not store at temperatures above 120°F. Do not puncture or incinerate containers. Keep out of reach of children.

Other Precautions Read label precautions carefully.

Steps to be Taken in Case Material is Released or Spilled Soak up spilled liquid with absorbent material. Place in closed container.


Dispose of in accordance with local, state, and federal regulations.

Waste Disposal Methods Dispose of in accordance with local, state, and federal regulations.

We believe all information given is accurate. It is offered in good faith, but without guarantee. Since conditions are beyond our control, user assumes all responsibility and risk.

Brite Shine

Stainless Steel Cleaner & Polish



This water-based emulsion cleans, polishes, and preserves the high luster of stainless steel finishes without causing build-up. BRITE SHINE removes and resists fingerprints, grease, water spots, and cooking films from all metal surfaces. Ideal for use on stainless steel, chrome, aluminum, brass, and copper. Use on restaurant and office equipment, ovens, freezers, drinking fountains, elevator doors, and all stainless equipment. Lemon scented.

"Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols."

CONTAINS NO 1,1,1 TRICHLOROETHANE OR
ANY CHLORINATED SOLVENTS

BRITE SHINE

WATER BASE EMULSION

Cleans, polishes, and preserves the high luster of stainless steel finishes. Forms a finish that will not build up. Resists water marks, stains, and water spots. Use on stainless steel, chrome, aluminum, brass, and copper.

DIRECTIONS

SHAKE WELL BEFORE USING

Apply with a clean damp cloth. Work with grain where possible. Wipe with light pressure with a dry cloth to bring out luster.

HELPS RESIST

- MARKS
- SPOTS
- GREASE
- FINGERPRINTS
- WATERMARKS

*NON-FLAMMABLE BY FLAME PROJECTION TEST METHOD.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Avoid contact with eyes and prolonged or repeated contact with skin. Do not puncture or incinerate container. Do not store in direct sunlight or at temperatures above 120° F, as container may burst.

SUGGESTED FIRST AID

Skin Contact: Wash affected areas with soap and water. Get medical attention if irritation persists. **Eye Contact:** Flush eyes with water for at least 15 minutes. Get medical attention if irritation persists. **Ingestion:** Do not induce vomiting. Get medical attention. **Inhalation:** Remove victim to fresh air. Apply artificial respiration if not breathing. Get medical attention.

Contains: Water (7732-18-5), Petroleum Distillates (64742-47-8), Petroleum Distillates (64741-44-2), Dimethylpolysiloxane (63148-62-9), Propane (74-98-6), Butane (106-97-8).

FOR INDUSTRIAL USE ONLY

Technical Data:


Spray Pattern Medium Foam
Appearance White Emulsion
Scent Lemon
*Flammability Non-Flammable
(per flame projection)

HMIS Symbol:

Health	1
Flammability	3
Reactivity	0

HMIS NFPA
Minimal - 0 - Insignificant
Slight - 1 - Slight
Moderate - 2 - Moderate
Serious - 3 - High
Severe - 4 - Extreme

NFPA Symbol:



Contains no chlorofluorocarbons.

