

Buckeye International, Inc.

2700 Wagner Place Maryland Heights, MO 63043 314/291-1900 N. F. P. A.

4 = Extreme

3 = High

2 = Moderate

1 = Slight 0 = Insignificant HEALTH 0
FIRE 0
REACTIVITY 0

Material Safety Data Sheet

24 Hour Medical Emergency Telephone Number: 1-800-303-0441. Outside North America call: 651-632-8956. 24 Hour Transportation Emergency Telephone Number: 1-800-535-5053. Outside North America call: 352-323-3500.

	ON I - IDEN	TIFICATION					
PRODUCT NAME						DATE PREPARED	
		BUCKEYE 1	ST DOWN			April 1, 2005	
CHEMICA	L FAMILY					CODE	
		Floor Sealer, V	Water Based			5135	
PROPER D	D.O.T.	AND THE RESERVED OF THE PROPERTY OF THE PROPER					
SHIPPING	NAME	Compound, Po	olishing or Wax,	Liquid			
D.O.T. HA	ZARD				*	and an account of the second of the second	
CLASSIFIC	CATION	None					
SECTIO	ON II - INGI	REDIENTS A	ND IDENTITY	INFORMA	TION	STREET OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE	
% By WG1		MATERIAL		PEL	T.L.V.	C.A.S. NO.	
3.1		ol n-butyl Ether*	Supplies and the state of the s	NE	NE	112-34-5	
2.7	Diethylene Glycol Ethyl Ether*			NE	NE	111-90-0	
>45.2	Soft Water			NE	NE	7732-18-5	
>45.0	Acrylic Emulsion			NE	NE	Blend	
<2.0	2,2,4-Trimethyl-	-1,3-pentanediol		NE	NE	25265-77-4	
	monoisobuty		productive and a year		(V.) - (V.) (V.		
<2.0	Perfume, colorir	ng and additives le	ess than 1%	NA	NA	NA	
	12.1	AAA ARAANI					
ITEMS MA	RKED * ARE SAR	A TITLE III SEC	13 REPORTABLES.	ALL INGREDI	ENTS ARE ON T	SCA INVENTORY.	
SECTIO	NIII - PHY	SICAL DATA					
BOILING POINT °F		212°F		pH (CONC.)		8.2 ± 0.2	
SOLUBILITY IN WATER		Miscible		pH (USE DILUTION) RTU		8.2 ± 0.2	
% VOLATILE BY WEIGHT		84.0		EVAPORATION RATE (Water=1)		1.0	
SPECIFIC GRAVITY		1.03		PRODUCT FORM		Liquid	
	NCE AND ODOR		olymer, White Opac	ue Solution			
SECTIO	N IV - FIRI	E AND EXPL	OSION DATA				
FLASH POINT (Test Method)		Tag Closed Cup: None!		FLAMMABL		E LIMITS	
EXTINGUISHING MEDIA		NA		UPPER LIMIT: NA		LOWER LIMIT: NA	
SPECIAL F	TRE FIGHTING PE	ROCEDURES	N	one		5 20 20 20 3 20 40 20 20 20 20 20 20 20 20 20 20 20 20 20	
DHICK!	TIDE AND EVEN	DOLON HAZARRA	n.	oducts of com	huetion		
JNUSUAL	FIRE AND EXPLO	DOLON HAZAKUS		xides of carbon			
				VICES OF CALDOF			
	N V - REAC		l'A				
STABILITY		Stable					
CONDITIONS TO AVOID		None known.					
NCOMPA'		Acids, strong alkali and heavy metal salts.					
HAZARDOUS DECOMPOSITION PRODUCTS				None known. Will not occur.			
HAZARDO	US POLYMERIZA	TION	W	III not occur.			

CODE: 5135

SECTION VI - H	EALTH HAZARD DATA			
ROUTE(S) OF ENTRY:	INHALATION? No S	KIN? Yes INGESTION? No		
HEALTH HAZARDS (Acu	ite and Chronic)			
May cause eye and skir	irritation.			
CARCINOGENICITY:	NTP? No IARC MONOC	GRAPHS? No OSHA REGULATED? No		
SIGNS AND SYMPTOMS	OF OVEREXPOSURE			
None known.				
MEDICAL CONDITIONS				
GENERALLY AGGRAVA	TED BY EXPOSURE			
None known.	The second secon	For Eyes: Flush with cool water for 15 minutes.		
EMERGENCY AND FIRS				
If irritation occurs and i	persists, see physician. For Skin: wasi	with soap and water, if irritation occurs		
		ses of water. DO NOT induce vomiting.		
	give anything by mouth to an unconscio			
	PILL OR LEAK PROCEDUR	ES		
SPILL RESPONSE				
and the second control of the second control		ea with detergent solution followed by a		
clear water rinse. Allow	v floor to dry before allowing traffic.			
WASTE DISPOSAL				
METHOD Flush	to sanitary sewer or send to sanitary lan	dfill, following local, state and federal laws.		
		ODE CATEVONI		
SECTION VIII -	SPECIAL PROTECTION INF			
EYE PROTECTION	When eye contact may occur,	VENTILATION		
wear safety glasses or ch		Normal room ventilation.		
SKIN	Rubber gloves or other	RESPIRATORY		
PROTECTION	impervious gloves.*	PROTECTION None required,		
OTHER				
PROTECTION	Follow good personal hygiene pract	ices.		
		10 S		
	*Needed for clean up of spill or for	possible prolonged skin contact.		
SECTION IX - SI	PECIAL PRECAUTIONS			
PRECAUTIONS IN	KEEP OUT OF REACH	OF CHILDREN!		
	IGEN OUT OF REMOVE			
HANDLING AND STORA		en not in use.		
		en not in use.		
	GE Keep container closed whe Keep from freezing!	en not in use. Do not store above 110°F.		
HANDLING AND STORA	GE Keep container closed whe Keep from freezing! Store at room temperature.			
	GE Keep container closed whe Keep from freezing! Store at room temperature. This product is not regulat	Do not store above 110°F.		
HANDLING AND STORA OTHER PRECAUTIONS	GE Keep container closed whe Keep from freezing! Store at room temperature. This product is not regulat	Do not store above 110°F. ed under CERCLA or RCRA.		
HANDLING AND STORA	GE Keep container closed whe Keep from freezing! Store at room temperature. This product is not regulat	Do not store above 110°F. ed under CERCLA or RCRA.		
HANDLING AND STORA OTHER PRECAUTIONS NA = Not Applicable NE = Not Established	GE Keep container closed whe Keep from freezing! Store at room temperature. This product is not regulat Not reportable under SAR	Do not store above 110°F. ed under CERCLA or RCRA. tA Title III, Section 311/312.		
OTHER PRECAUTIONS NA = Not Applicable NE = Not Established PREPARED BY:	GE Keep container closed whe Keep from freezing! Store at room temperature. This product is not regulat	Do not store above 110°F. ed under CERCLA or RCRA. tA Title III, Section 311/312.		
OTHER PRECAUTIONS NA = Not Applicable NE = Not Established PREPARED BY: Disclaimer of Liability	GE Keep container closed whe Keep from freezing! Store at room temperature. This product is not regulat Not reportable under SAR Mark Gindling, Director o	Do not store above 110°F. ed under CERCLA or RCRA. tA Title III, Section 311/312.		

accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Conforms to OSHA 174, Sept 1985