

DUSTER PLUS DUSTING AND CLEANING SPRAY

| | | | |
|---|----------------|--|--|
| National Fire Protection Association (NFPA) | Fire Hazard | Hazardous Material Information System (HMIS) | 1 |
| | Health | | 4 |
| | Reactivity | | 0 |
| Specific Hazard | | | |
| Protective Clothing | None required. | Emergency Overview | Off-white Aerosol See Section 9. WARNING: FLAMMABLE. CONTENTS UNDER PRESSURE. May be mildly irritating to skin. |

Section 1. Chemical Product and Company Identification

| | | | |
|-------------------|--|----------------------|----------------|
| Product Name | DUSTER PLUS DUSTING AND CLEANING SPRAY | Code | 94752 |
| Product Use | Industrial/Institutional Furniture care | PMS# | 433171 |
| MSDS# | 126027002 | Validation Date | 04-19-2000 |
| U.S. Headquarters | Drackett Professional A Division of S C Johnson Commercial Markets, Inc. 8310 16th Street Sturtevant Wisconsin 53177-0902 Phone: (888) 352-2249 | Print Date | 04/20/2000 |
| | | Supersedes | 04-13-2000 |
| | | In Case of Emergency | (800) 851-7145 |

Section 2. Composition and Information on Ingredients

| Ingredients | CAS # | % by Weight | Exposure Limits | LC50/LD50 |
|-----------------------------------|------------|-------------|---|---|
| Propane | 74-98-6 | 1-5 | TWA: 1800 (mg/m ³) from OSHA (PEL) [United States] TWA: 4508 (mg/m ³) from ACGIH (TLV) [United States] | Not available |
| Isobutane | 75-28-5 | 5-10 | Not available | VAPOR (LC50): Acute: 0.0057 ppm 0.25 hours [Rat]. |
| Isoparaffinic Hydrocarbon Solvent | 64742-48-9 | 3-7 | Not available | Not available |
| Light Naphthenic Distillate | 64741-44-2 | 10-30 | Not available | Not available |
| Water | 7732-18-5 | 60-100 | Not available | Not Applicable |

Section 3. Hazards Identification

Routes of Entry: Inhalation, Skin contact, Eye contact.

Potential Acute Health Effects

Eyes: None known.

Skin: May be mildly irritating to skin.

Inhalation: None known.

Ingestion: None known.

Medical Conditions: None known.

Aggravated by Overexposure:

See Toxicological Information (section II)

Section 4. First Aid Measures

Eye Contact: Rinse with plenty of running water.

Skin Contact: Flush immediately with plenty of water. Get medical attention if irritation occurs.

Inhalation: No specific first aid measures are required.

Ingestion: No specific first aid measures are required.

Continued on Next Page

Section 5. Fire Fighting Measures

| | |
|---|---|
| Flammability of the Product | NFPA 303 Level 1 Aerosol. |
| Flash Points | CLOSED CUP: <-7°C (19.4°F) |
| Products of Combustion | None known. |
| Fire Fighting Media and Instructions | Use water spray to keep fire-exposed containers cool. Dry chemical, carbon dioxide. Fight fire from protected location or maximum possible distance. In case of fire and/or explosion do not breathe fumes. |
| Protective Clothing (Fire) | Put on appropriate personal protective equipment (see Section 8). |
| Special Remarks on Fire and Explosion Hazards | Aerosol product - Containers may rocket or explode in heat of fire. |

Section 6. Accidental Release Measures

| | |
|--|--|
| Personal Precautions | Put on appropriate personal protective equipment (see Section 8). |
| Environmental Precautions and Clean-up Methods | Eliminate all ignition sources. In the event of major spillage, use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material. Place in suitable clean, dry containers for disposal by approved methods. |

Section 7. Handling and Storage

| | |
|----------|--|
| Handling | Avoid contact with skin and eyes. Do not puncture or incinerate. Use only in well-ventilated areas. FOR INDUSTRIAL USE ONLY |
| Storage | Store in a dry, cool and well-ventilated area. Protect from freezing. Keep away from heat, sparks and flame. Pressurized container: protect from sunlight and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use. KEEP OUT OF REACH OF CHILDREN. |

Section 8. Exposure Controls/Personal Protection

| | |
|----------------------|--|
| Engineering Controls | No special ventilation requirements. General room ventilation is adequate. |
| Personal Protection | |
| Eyes | No special protective clothing is required. |
| Hands | No special protective clothing is required. |
| Respiratory | No special protective clothing is required. |
| Feet | No special protective clothing is required. |
| Body | No special protective clothing is required. |

Section 9. Physical and Chemical Properties

| | |
|-------------------------------|--------------------|
| Physical State and Appearance | Liquid. (Aerosol.) |
| Odor | Characteristic. |
| Color | Off-white |
| pH | Not available. |
| Specific Gravity | 0.9 |
| Solubility in water | Dispersible. |

Section 10. Stability and Reactivity

| | |
|---|------------------------|
| Stability and Reactivity | The product is stable. |
| Conditions of Instability | Excessive heat |
| Incompatibility with Various Substances | Not available. |
| Hazardous Decomposition Products | None known. |
| Hazardous Polymerization | Will not occur |

Section 11. Toxicological Information

Acute toxicity ORAL (LD50) Estimated to be greater than 5000 mg/kg (rat).
DERMAL (LD50) Estimated to be greater than 2000 mg/kg (rabbit)

Effects of Chronic Exposure None known

Other Toxic Effects Not available.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information If possible, recycle empty aerosol cans to the nearest steel recycling center. Use up package or give to someone who can. Dispose of according to all federal, state and local regulations.

Section 14. Transport Information**DOT Classification**

DOT Proper Shipping Name Consumer Commodity

DOT Class ORM-D

TDG Classification

TDG Proper Shipping Name Consumer Commodity

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

US Regulations

Federal Clean air act (CAA) 112 regulated flammable substances: Propane, isobutane
CERCLA Hazardous substances: Propane, isobutane

State New Jersey: Light Naphthenic Distillate, Propane, Isobutane
Massachusetts spill list: Propane, Isobutane
Massachusetts RTK: Propane, Isobutane
Pennsylvania RTK: Propane, isobutane


This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Information Not applicable.

Canadian Regulations

WHMIS Classification CLASS A: Compressed gas.
CLASS B-5: Flammable aerosol.

WHMIS Icon



Registered Product Information Not applicable.

Chemical Inventory Status All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory

DUSTER PLUS DUSTING AND CLEANING SPRAY

Material Safety Data Sheet

Section 16. Other Information

| | |
|------------------------------|---------------|
| Other Special Considerations | Not available |
|------------------------------|---------------|

| | |
|---------|---|
| Version | 1 |
|---------|---|

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.