# **Material Safety Data Sheet**



**ECO SHINE** 

#### Section 1. Chemical product and company identification

Trade name : ECO SHINE
Product use : Metal Polish
Supplier : Ecolab Co.

5105 Tomken Road

Mississauga ON L4W 2X5

1-800-352-5326

Code : 998674

Date of issue : 24-September-2005

EMERGENCY HEALTH INFORMATION: 1-800-328-0026
Outside United States and Canada CALL 1-651-222-5352 (in USA)

#### Section 2. Composition, Information on Ingredients

 Name
 CAS number% by weight

 alcohols, c12-16, ethoxylated
 68551-12-2
 10 - 30

 white mineral oil, petroleum
 8042-47-5
 7 - 13

 alcohols, c12-15, ethoxylated
 68131-39-5
 3 - 7

#### Section 3. Hazards identification

Physical state : Liquid. (Liquid.)
Emergency overview : CAUTION!

Repeated or prolonged contact with irritants may cause dermatitis.

MAY CAUSE EYE IRRITATION.

Avoid contact with eyes. Wash thoroughly after handling.

Routes of entry : Skin contact, Eye contact, Inhalation, Ingestion

Potential acute health effects

Eyes : Slightly irritating to the eyes.
Skin : Slightly irritating to the skin.

InhalationIn No known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

See toxicological Information (section 11)

#### Section 4. First aid measures

Eye contact: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses and

flush again. Get medical attention if irritation occurs.

**Skin Contact**: Wash with soap and water. Get medical attention if irritation develops. Wash clothing before

reuse.

Inhalation : If inhaled, remove to fresh air.

Ingestion : Do not induce vomiting. Never give anything by mouth to an unconscious person. Obtain

medical attention immediately.

#### Section 5. Fire fighting measures

Auto-ignition temperature : Not available. Flash point : > 100°C

Flammable limits

Upper: Not available.

Lower: Not available.

Products of combustion : Not available. Fire-fighting media and : Use an exting

Fire-fighting media and : Use an extinguishing agent suitable for surrounding fires.

instructions

Dike area of fire to prevent product run-off.

No specific hazard.

ECO SHINE Page: 2/4

Special protective equipment for fire-fighters

: Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

#### Section 6. Accidental release measures

Personal Precautions : Ventilate area of leak or spill. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment (Section 8). Stop leak if without risk. Prevent entry into sewers, water courses, basements or confined areas.

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Methods for cleaning up

: If emergency personnel are unavailable, contain spilled material. For small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid-proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.--

#### Section 7. Handling and storage

Handling

: Wash thoroughly after handling.

Storage

: Keep out of the reach of children. Keep container tightly closed. Keep container in a cool, well-ventilated area.

Do not store above 50°C

#### Section 8. Exposure Controls, Personal Protection

Engineering : controls

: Good general ventilation should be sufficient to control airborne levels.

Personal protection

Eyes : No protective equipment is needed under normal use conditions.
 Hands : No protective equipment is needed under normal use conditions.
 Skin : No protective equipment is needed under normal use conditions.
 Respiratory : No protective equipment is needed under normal use conditions.

Consult local authorities for acceptable exposure limits.

#### Section 9. Physical and chemical properties

Physical state : Liquid. (Liquid.) Yellow. Colour Faint Odour Odour pΗ 7.5 (100%) : >100 °C Boiling/condensation point : Not available. Meltina/freezina point Specific gravity 1 (Water = 1) Not applicable. Vapour pressure Not available. Vapour density Not available. **Odour threshold** : Not available. **Evaporation rate** LogKow : Not available.

#### Section 10. Stability and reactivity

Stability : The product is stable.

Conditions of instability : Not available. Incompatibility with various : Not available.

substances

Hazardous Decomposition: Not available.

**Products** 

Page: 3/4 **ECO SHINE** 

#### Section 11. Toxicological information

Potential acute health effects

Eyes : Slightly irritating to the eyes. Skin : Slightly irritating to the skin.

: No known significant effects or critical hazards. Inhalation Ingestion : No known significant effects or critical hazards.

**Irritancy of Product** : Hazardous by WHMIS criteria.

Potential chronic health effects

: No known significant effects or critical hazards. Carcinogenic effects : No known significant effects or critical hazards. Mutagenic effects : No known significant effects or critical hazards. Teratogenic effects : No known significant effects or critical hazards. Reproductive effects Sensitization to Product : No known significant effects or critical hazards. : Not available.

Synergistic Products

(Toxicologically) Toxicity data

**Species** Result Route Ingredient name Test

Not applicable.

 Not available. **Target organs** 

## Section 12. Ecological information

Ecotoxicity data Ingredient name	Species	Period	Result		
alcohols, c12-15, ethoxylated	Daphnia magna (EC50)	48 hour(s)	1.3 mg/l		
alcoriois, c12-10, ctrioxylated	Daphnia magna (EC50)	48 hour(s)	1.4 mg/l		
	Oncorhynchus mykiss (LC50)	96 hour(s)	1.03 mg/l		
	Oncorhynchus mykiss (LC50)	96 hour(s)	1.16 mg/l		
	Pimephales promelas (LC50)	96 hour(s)	1.4 mg/l		
	Pimephales promelas (LC50)	96 hour(s)	1.58 mg/l		
Duralizate of descendation	These products are earlier evides (CO, CO, ) and water				

#### Products of degradation : These products are carbon oxides (CO, CO<sub>2</sub>) and water.

#### Section 13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimised wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Consult your local or regional authorities.

#### Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Additional Information
TDG Classification	Not regulated.	-	-	-	-

#### APPLIES ONLY DURING ROAD TRANSPORT

Any variation of the shipping description based on the packaging is not addressed.

ECO SHINE Page: 4/4

### Section 15. Regulatory information

**WHMIS**: Class D-2B: Material causing other toxic effects (TOXIC).

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

#### Section 16. Other information

Date of issue : 24-September-2005.

Responsible name : Regulatory Affairs

Date of previous issue : No Previous Validation.

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.