

Material Safety Data Sheet

SECTION I - Material Identity

SECTION II - Manufacturer's Information

SECTION III - Physical/Chemical Characteristics

SECTION IV - Fire and Explosion Hazard Data

SECTION V - Reactivity Data

SECTION VI - Health Hazard Data

SECTION VII - Precautions for Safe Handling and Use

SECTION VIII - Control Measures

SECTION IX - Label Data

SECTION X - Transportation Data

SECTION XI - Site Specific/Reporting Information

SECTION XII - Ingredients/Identity Information

SECTION I - Material Identity

Item Name	
Part Number/Trade Name	SNAP SILICONE SPRAY-S 630
National Stock Number	9150011476845
CAGE Code	SNAPP
Part Number Indicator	A
MSDS Number	181265
HAZ Code	B

SECTION II - Manufacturer's Information

Manufacturer Name	SNAP PRODUCTS, INC
Street	501 SOUTH BASINGER ROAD
City	PANDORA
State	OH
Country	US
Zip Code	45877
Emergency Phone	800-424-9300
Information Phone	419-384-3241

MSDS Preparer's Information

MSDS Preparer Name	DINESH J. PAREKH
Date MSDS Prepared/Revised	28OCT94
Active Indicator	N

Alternate Vendors

Vendor #1 CAGE	SNAPP
----------------	-------

SECTION III - Physical/Chemical Characteristics

Appearance/Odor	COLORLESS, CLEAR LIQUID; MILDLY SWEET ODOR
Boiling Point	N/A
Melting Point	N/A
Vapor Pressure	65-75@70F
Vapor Density	N/A
Specific Gravity	1.45
Evaporation Rate	N/A
Solubility in Water	INSOLUBLE
Percent Volatiles by Volume	93
Chemical pH	NONE
Container Pressure Code	4
Temperature Code	8
Product State Code	L

SECTION IV - Fire and Explosion Hazard Data

Flash Point Method	PMCC
Lower Explosion Limit	N/A
Upper Explosion Limit	N/A
Extinguishing Media	DRY CHEMICAL, CO2, FOAM, WATER FOG
Special Fire Fighting Procedures	USE SCBA
Unusual Fire/Explosion Hazards	CONCENTRATED VAPORS WILL DECOMPOSE ON CONTACT W/HIGH INTENSITY HEAT SOURCE. DECOMPOSITION PRODUCES HYDROGEN. AEROSOL CANS MAY RUPTURE, OR BURST ABOVE 130 F

SECTION V - Reactivity Data

Stability	YES
Stability Conditions to Avoid	AVOID CONTACT W/OPEN FLAME, HOT SURFACES, OR ELECTRIC ARC
Materials to Avoid	STRONG ALKALIS, OXIDIZING MATERIALS
Hazardous Decomposition Products	HYDROGEN CHLORIDE, CO2, POSSIBLE PHOSGENE
Hazardous Polymerization	NO
Polymerization Conditions to Avoid	WILL NOT OCCUR

SECTION VI - Health Hazard Data

Route of Entry: Skin	YES
Route of Entry: Ingestion	YES
Route of Entry: Inhalation	YES
Carcinogenity: NTP	YES
Explanation of Carcinogenity	TETRACHLOROETHYLENE SUSPECTED CARCINOGEN
Symptoms of Overexposure	EYES: MILD IRRITATION SKIN: BURNING SENSATION, MILD IRRITATION, SLIGHT DERMATITIS/DEFATTING. INHALE: LIGHT HEADEDNESS, DIZZINESS, HEADACHE, VERTIGO, DROWSINESS, NARCOSIS IF TLV IS SUBSTANTIALLY EXCEEDED, INCONSCIOUSNESS OR DEATH IN EXTREME CASES. INGEST: NOT CONSIDERED PROBABLE
Medical Cond. Aggravated by Exposure	NONE KNOWN
Emergency/First Aid Procedures	EYES: FLUSH W/WATER FOR AT LEAST 15 MIN., CONTACT PHYSICIAN. SKIN: REMOVE CONTAMINATED CLOTHING & FLUSH SKIN W/WATER. INHALE: MOVE TO FRESH AIR IF BREATHING HAS STOPPED, ADMINISTER ARTIFICIAL RESPIRATION/GIVE OXYGEN IF AVAIL. CONTACT PHYSICIAN. INGEST: CALL PHYSICIAN AND OBTAIN MEDICAL ATTN IMMEDIATELY

SECTION VII - Precautions for Safe Handling and Use

Steps if Material Released/Spilled	EVACUATE AREA. VENTILATE. AVOID BREATHING VAPORS, CONTAIN SPILL
Waste Disposal Method	DISPOSE OF IN ACCORDANCE TO ALL FEDERAL, STATE AND LOCAL LAW
Handling and Storage Precautions	PIPE VENTS OUTDOORS. STORE IN COOL, DRY VENTILATED AREA. VAPORS ARE HEAVIER THAN AIR & WILL COLLECT IN LOW AREAS
Other Precautions	AVOID CONTACT W/SKIN AND AVOID BREATHING VAPORS

SECTION VIII - Control Measures

Respiratory Protection	IF TLV IS EXCEEDED USE NIOSH/OSHA APPROVED RESPIRATOR W/CARTRIDGES FOR ORGANIC VAPORS
Ventilation	GENERAL IS SUFFICIENT, LOCAL EXHAUST IS RECOMMENDED
Protective Gloves	NEOPRENE, VITON, POLYVINYL COATED GLOVES
Eye Protection	SAFETY GLASSES, GLOGGLES
Other Protective Equipment	CHEMICAL RESISTANT BOOTS/APRON
Supplemental Health/Safety Data	CONTACT LENSES SHOULD BE REMOVED
Disposal Code	O

SECTION IX - Label Data

Protect Eye	YES
Protect Skin	YES
Protect Respiratory	YES
Chronic Indicator	YES
Contact Code	MODERATE
Fire Code	UNKNOWN
Health Code	UNKNOWN
React Code	UNKNOWN
Specific Hazard and Precaution	CAN CAUSE UNCONSCIOUSNESS OR DEATH IF TLV IS EXCEEDED SUSTANTIALLY OR THE PRODUCT IS DILIBERATELY INHALED. PRODUCT IS FLAMMABLE. MAY CAUSE DEFATTING/DERMEATITIS IN SKIN. CONTAINS SUSPECTED CARCINOGEN TETRACHLOROETHYLENE

SECTION X - Transportation Data

Container Quantity	10
Unit of Measure	OZF

SECTION XI - Site Specific/Reporting Information

Volatile Organic Compounds (P/G)	11.6
Volatile Organic Compounds (G/L)	1390.1305

SECTION XII - Ingredients/Identity Information

Ingredient #	01
--------------	----

Ingredient Name	ISOBUTANE
CAS Number	75285
Proprietary	NO
Percent	0
ACGIH TLV	1000 PPM
Ingredient #	02
Ingredient Name	PROPANE
CAS Number	74986
Proprietary	NO
Percent	0
ACGIH TLV	1000 PPM
Ingredient #	03
Ingredient Name	OLEFIN POLYMER
CAS Number	64742650
Proprietary	NO
Percent	0
OSHA PEL	N/A
ACGIH TLV	N/A
Ingredient #	04
Ingredient Name	DIMETHYL SILOXANE
CAS Number	63148629
Proprietary	NO
Percent	0
OSHA PEL	N/A
ACGIH TLV	N/A
