

# Material Safety Data Sheet

---

SECTION I - Material Identity
SECTION II - Manufacturer's Information
SECTION III - Physical/Chemical Characteristics
SECTION IV - Fire and Explosion Hazard Data
SECTION V - Reactivity Data
SECTION VI - Health Hazard Data
SECTION VII - Precautions for Safe Handling and Use
SECTION VIII - Control Measures
SECTION IX - Label Data
SECTION X - Transportation Data
SECTION XI - Site Specific/Reporting Information
SECTION XII - Ingredients/Identity Information

---

## SECTION I - Material Identity

---

Item Name	
Part Number/Trade Name	3035 WELDWOOD MULT-PURPOSE FLOOR ADHESIVE 3055
National Stock Number	8040P472522
CAGE Code	90300
Part Number Indicator	A
MSDS Number	187055
HAZ Code	B

---

## SECTION II - Manufacturer's Information

---

Manufacturer Name	DAP INC
P.O. Box	277
Street	N/K
City	DAYTON
State	OH
Country	US
Zip Code	45401-0277
Emergency Phone	800-424-9300 CHEMTREC
Information Phone	800-543-3840 FAX 801-773-3785

---

## MSDS Preparer's Information

---

Date MSDS Prepared/Revised	06FEB92
Date of Technical Review	09FEB93

Active Indicator N

### Alternate Vendors

---

### SECTION III - Physical/Chemical Characteristics

---

Appearance/Odor	OFF WHITE PASTE
Boiling Point	212F
Melting Point	N/K
Vapor Pressure	98
Vapor Density	>1
Specific Gravity	1.2
Decomposition Temperature	N/K
Evaporation Rate	<1 (N-BUTYL ACETATE)
Solubility in Water	N/K
Chemical pH	N/K
Corrosion Rate	N/K
Container Pressure Code	1
Temperature Code	4
Product State Code	S

### SECTION IV - Fire and Explosion Hazard Data

---

Flash Point	196
Flash Point Method	SCC
Lower Explosion Limit	NE
Upper Explosion Limit	NE
Extinguishing Media	FOAM, CO2, DRY CHEMICAL
Special Fire Fighting Procedures	UNUSUAL FIRE OR EXPLOSION HAZARDS. CONTAINERS MAY EXPLODE IF EXPOSED TO EXTREME HEAT. ELIMANATE SOURCES OF IGNITION, HEAT, ELECTRICAL EQUIPMENT, SPARKS, AND FLAMES. DO NOT PUT INTO CONTACT WITH OXIDIZING OR CAUSTIC MATERIALS
Unusual Fire/Explosion Hazards	FULL PROTECTIVE EQUIPMENT, INCLUDING SELF-CONTAINED BREATHING APPARATUS IS RECOMMENDED TO PROTECT FROM COMVUSTION PRODUCTS. COO EXPOSED CONTAINERS WITH WATER

### SECTION V - Reactivity Data

---

Stability	YES
Stability Conditions to Avoid	EXCESSIVE HEAT & FREEZING
Materials to Avoid	STRONG OXIDIZERS & CAUSTICS
Hazardous Decomposition Products	CO, CO <sub>2</sub> , & NITROGEN OXIDES
Hazardous Polymerization	NO
Polymerization Conditions to Avoid	WILL NOT OCCUR
LD50 - LD50 Mixture	N/K

---

#### SECTION VI - Health Hazard Data

---

Route of Entry: Skin	YES
Route of Entry: Ingestion	YES
Route of Entry: Inhalation	YES
Health Hazards - Acute and Chronic	EYES/SKIN: IRRITATION. INHALATION: NOSE & RESPIRATORY TRACT IRRITATION. INGESTION: HARMFUL OR FATAL, VOMITING, DIARRHEA, DEPRESSED RESPIRATION. ASPIRATION OF MATERIAL INTO LUNGS DUE TO VOMITING CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL
Carcinogenity: NTP	NO
Carcinogenity: IARC	NO
Carcinogenity: OSHA	NO
Explanation of Carcinogenity	NONE
Symptoms of Overexposure	INHALATION: PERMANENT BRAIN & NERVOUS SYSTEM DAMAGE
Medical Cond. Aggravated by Exposure	NONE KNOWN
Emergency/First Aid Procedures	EYES: FLUSH W/LARGE AMOUNTS OF WATER FOR 15 MINS. SKIN: WASH IMMEDIATELY W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DON'T INDUCE VOMITING. ASPIRATION HAZARD. OBTAIN MEDICAL ATTENTION IN ALL CASES

---

#### SECTION VII - Precautions for Safe Handling and Use

---

Steps if Material Released/Spilled	USE ABSORBENT MATERIAL OR SCRAPE UP DRIED MATERIAL & PLACE INTO CONTAINERS
Neutralizing Agent	N/K
Waste Disposal Method	DISPOSE OF ACCORDING TO FEDERAL, STATE, & LOCAL REGULATIONS. DON'T REUSE EMPTY CONTAINER
Handling and Storage Precautions	STORE AWAY FROM CAUSTICS &

	OXIDIZERS. KEEP CONTAINERS AWAY FROM EXCESSIVE HEAT & FREEZING. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE
Other Precautions	KEEP OUT OF REACH OF CHILDREN. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING & INHALING VAPORS MAY BE HARMFUL OR FATAL

---

**SECTION VIII - Control Measures**


---

Respiratory Protection	NOT REQUIRED UNDER NORMAL USAGE & W/ADEQUATE VENTILATION
Ventilation	SUFFICIENT MECHANICAL (LOCAL/GENERAL EXHAUST): TO MAINTAIN EXPOSURE BELOW PEL & TLV
Protective Gloves	SOLVENT IMPERVIOUS
Eye Protection	SAFETY GLASSES
Other Protective Equipment	AS REQUIRED
Work Hygenic Practices	REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE
Supplemental Health/Safety Data	N/K

---

**SECTION IX - Label Data**


---

Protect Eye	YES
Protect Skin	YES
Protect Respiratory	YES
Chronic Indicator	YES
Contact Code	SLIGHT
Fire Code	UNKNOWN
Health Code	UNKNOWN
React Code	UNKNOWN
Specific Hazard and Precaution	TARGET ORGANS: CENTRAL NERVOUS SYSTEM

---

**SECTION X - Transportation Data**


---

Container Quantity	3.5
Unit of Measure	GL

---

**SECTION XI - Site Specific/Reporting Information**


---

Volatile Organic Compounds (P/G)	.6592
Volatile Organic Compounds (G/L)	79

---

**SECTION XII - Ingredients/Identity Information**


---

Ingredient #	01
Ingredient Name	MINERAL SPIRITS (1-5)
CAS Number	64742886
Proprietary	NO
Percent	5
OSHA PEL	100 PPM
ACGIH TLV	100 PPM
Recommended Limit	N/K
Ingredient #	02
Ingredient Name	METHANOL (1-4)
CAS Number	67561
Proprietary	NO
Percent	4
OSHA PEL	200 PPM
ACGIH TLV	250 PPM
Ingredient #	03
Ingredient Name	ETHOXYLATED ALKYL PHENOL (1-5)
CAS Number	9016459
Proprietary	NO
Percent	5
OSHA PEL	NE
ACGIH TLV	NE
Recommended Limit	N/K
Ingredient #	04
Ingredient Name	REMAINING INGREDIENTS ARE NOT REGULATED AND ARE TRADE SECRETS
Proprietary	YES
Percent	0
OSHA PEL	N/K
ACGIH TLV	N/K
Recommended Limit	N/K

---